

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIGURE 1

Tissue Distribution of sFRP-5 Expression in Wild-Type Mice




FIGURE 2

sFRP-5 expression in the WAT of wild-type versus HMGI-C knockout mice




FIGURE 3

Relative sFRP-5 Expression in WT and *ob/ob* Adipose Tissue






FIGURE 4

sFRP-5 Expression in the Stromal Vascular and Adipocyte Fractions of Adipose Tissue




# FIGURE 5

Transient Transfection and Expression in CHO Cells



**FIGURE 6**

**Expression of sFRP-5 in Response to Addition of sFRP-5 Conditioned Medium from 3T3-L1 Cells**



**Figure 7**

